


OnPoint Design Patterns

Type ahead add/remove

Posted on August 23, 2012 by Craig Bachman



[Download Photoshop file...](#)

Styling Information:

Live filter

See [Live filter](#) for Textbox behavior...

Plus button

See primary button for button style

Size: 25 x 25 pixels

“+”: #FFF, 18 pixels, bold

“en dash”: #FFF, 18 pixels, bold

Type ahead select box

Position: directly below textbox in line

Border: #CCC, 1 pixel, rounded 2 pixels

Text: #999, 12 pixels regular

Hover

Background: #537cb4, rounded 2 pixels

Text: #FFF

Added item

Background: #ef9822; rounded 2 pixels

Text: #000, 13 pixels, bold (600)

Similar Patterns:

[Live Filter](#)

[Contextual Select Menu](#)

Problem Summary

User would like to add items to a list by typing in a text field and getting a list of items that match their characters typed, then selecting the item.

Solution and Usage

Allow the user to type ahead in a text field. Like search, the user enters keywords into a text field to find what they want. Unlike search, results are narrowed down as they type.

Considerations

Start to show data as they type the first character.

Code dependencies

None yet.

Version history

24 August, 2012 @ 9:52 [Current Revision] by Craig Bachman


23 August, 2012 @ 15:55 by Craig Bachman

23 August, 2012 @ 15:48 by Craig Bachman

This entry was posted in [Content](#), [Design Patterns](#), [Inputs](#) by [Craig Bachman](#). Bookmark the [permalink \[http://ux.pointroll.com/type-ahead-addremove/\]](http://ux.pointroll.com/type-ahead-addremove/).

Advanced Search / Quick Filter

Posted on August 7, 2012 by Craig Bachman



[Download PSD...](#)

Styling Information:

Quick Filter/Advance Search toggle

Active link: #0066CC, 10 pixels regular

Hover: Text – underline

Text: #000000, 10 pixels bold

Pipe: #666666

Advance search

Bounding box

Border: 1 pixel #CCCCCC;

Background: #FFFFFF

Corners: Rounded

Facet select menu

Border: left & top = 1 pixel #D3D3D3; bottom & right = 1px #A3A3A3

Background gradient = top to bottom: #FFFFFF to #F1F1F1

Text: 12px #666666

Chevron icon: #4267a5

Textbox

Background: #FFFFFF
Border: 1 pixel #CCCCCC; outer
Shadow: 3 pixels inner shadow #E9E9E9; top left
Text: #999 12 pixels

Find Button

Background gradient = top to bottom: #FFFFFF to #F1F1F1
Border: left & top = 1 pixel #D3D3D3; bottom & right = 1px #A3A3A3
Text: #537cb4; 12 pixels bold

Cancel Link

Active Link: #0066CC 12 pixels regular
Hover: underline

Live Filter field

[See live filter field pattern...](#)

Similar Patterns

[Faceted Search](#)

Problem Summary

User needs a way to do a quick search or an advanced search with ability to select facets, type criteria for each facet and filter their list by adding multiple facets.

Solution and Usage

By clicking the toggle Quick Filter / Advanced Search allows user to decide on the type of search they want to perform. In quick filter, clicking on the live filter textbox allows the user to start typing their filter and provides filtered results as the user types. In advanced search, selecting from the faceted search will change the ability of the typing and/or selecting for faceted criteria.

Examples

Find Agency, Publisher, or Advertiser <username #666- 12px> [sign out](#)

<Agency #FA3-14px> > <Advertiser #000 - 14px> [\[Copy\]...#999 - 13px](#) [Tell us what you think](#) | [Support #0066cc - 12px](#)

Inactive ▾ Hover Active ▾ onpoint

Active #8AC 12px > Hover #06c 12px underline > Page #000 12px bold


List View #555 - 16px bold (600) ▾ Primary #fff 14px bold (600)

View all Not ready Tags sent not serving Serving

<XX> Total : <X> selected | Select All : None | Expand All | Sort by: #666 12px ▾ Quick Filter | Advanced Search
Type to...#999 - 12px

<input checked="" type="checkbox"/>	List item open #06c 13px bold (600) [Copy] [Edit] [History]			
	Sample Label #000 13px Object Data	Sample Label Object Data Object Data	Sample Label Object Data Object Data Object Data	Object Data Object Data Object Data
	Sample Label Object Data #000 11px bold	Sample Label Object Data Modified: 8/9/2012 12:37 PM GMT by someone@pointroll.com	Sample Label Object Data	
<input type="checkbox"/>	List item hover closed : #06c - 13px bold (600) [Copy] [Edit]			
	Sample Label Object Data #1234567	Sample Label Object Data Modified: 8/9/2012 12:37 PM GMT by someone@pointroll.com	Sample Label Object Data	
<input checked="" type="checkbox"/>	List item active closed : #06c - 13px bold (600) [Copy] [Edit]			
	Sample Label Object Data #1234567	Sample Label Object Data Modified: 8/9/2012 12:37 PM GMT by someone@pointroll.com	Sample Label Object Data	
<input type="checkbox"/>	List item active closed : #06c - 13px bold (600) [Copy] [Edit]			
	Sample Label Object Data #1234567	Sample Label Object Data Modified: 8/9/2012 12:37 PM GMT by someone@pointroll.com	Sample Label Object Data	

POINTROLL A GANNETT COMPANY #06c - 12px | #06c - 12px | #06c - 12px bold (600) © 2011 Copyright PointRoll, a Gannett Company. All rights ... #999 - 12px



See prototype for more examples... http://ux.pointroll.com/prototype/OnPt.Release_4.2/

Version history

- 10 October, 2012 @ 11:31 [Current Revision] by Craig Bachman
- 10 October, 2012 @ 11:28 by Craig Bachman
- 10 October, 2012 @ 11:09 by Craig Bachman
- 2 October, 2012 @ 14:37 by Craig Bachman
- 2 October, 2012 @ 14:36 by Greg Mathias
- 28 September, 2012 @ 14:53 by Greg Mathias
- 28 September, 2012 @ 14:47 by Craig Bachman
- 7 August, 2012 @ 16:01 by Craig Bachman
- 7 August, 2012 @ 16:01 by Craig Bachman

This entry was posted in [Dealing with Data, Design Patterns](#) by [Craig Bachman](#). Bookmark the [permalink \[http://ux.pointroll.com/advanced-search-quick-filter/\]](http://ux.pointroll.com/advanced-search-quick-filter/).